

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L2 | 215 | (defin\$4 set\$3 configur\$4) near4 (backup back-up (back\$4 near4 up) archiv\$4) near5 (cycl\$4 schedul\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/20 14:21 |
| L3 | 4 | 2 and (idl\$3 near5 period\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/20 14:17 |
| L4 | 3 | 2 and (sleep\$3 near5 period\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/20 14:18 |
| L5 | 41 | 2 and (backup\$3 near5 period\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/20 14:18 |
| L6 | 41 | (defin\$4) near4 (backup back-up (back\$4 near4 up) archiv\$4) near5 (cycl\$4 schedul\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/20 14:22 |
| L7 | 17 | (defin\$4) near4 (backup back-up (back\$4 near4 up) archiv\$4) near5 (cycl\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/20 14:22 |
| S1 | 14604 | data near3 (backup\$4 archiv\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 18:54 |
| S2 | 17962 | (data information) near3 (backup\$4 archiv\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:06 |

| | | | | | | |
|----|------|---|---|----|----|------------------|
| S3 | 50 | ((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near9 compress\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:17 |
| S4 | 2368 | ((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:18 |
| S5 | 63 | ((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:18 |
| S6 | 3 | ((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 cycl\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:26 |
| S7 | 4 | ((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 term\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:21 |
| S8 | 20 | ((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 time\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:22 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S9 | 21 | (((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 cycl\$4)) or (((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 cycl\$4)) or (((((data information) near3 (backup\$4 archiv\$4)) same ((download\$4 cop\$4) near5 (data information))) same ((compress\$4) near5 (data information))) and ((backup\$4 archiv\$4) near6 time\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:22 |
| S10 | 234 | ((data information) near3 (backup\$4 archiv\$4)) and ((backup\$4 archiv\$4) near6 cycl\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/10 16:27 |
| S11 | 66 | ((data information) near3 (backup\$4 archiv\$4)) and ((backup\$4 archiv\$4) near6 cycl\$4)) and (compress\$4 near5 (data information)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:00 |
| S12 | 1 | "5649196".pn. and retriev\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/17 15:11 |
| S13 | 1 | "5649196".pn. and retriev\$4 and compress\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/17 15:20 |
| S14 | 0 | backup\$4 same compress\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/17 15:21 |
| S15 | 3202 | backup\$4 same compress\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/17 15:21 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S16 | 31 | (backup\$4 same compress\$4) and (backup near5 cycle\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/17 15:21 |
| S17 | 617 | ((data information record\$3 table\$3) near5 (backup\$4 archiv\$4 (back\$4 near4 up)) near6 (cycl\$4 schedul\$4 plan\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 18:56 |
| S18 | 133 | S17 and ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:17 |
| S19 | 6 | S18 and (idl\$4 near5 tim\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:02 |
| S20 | 5 | S17 and (restor\$4 re-stor\$4 (re\$3 near3 stro\$4)) near5 ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:10 |
| S21 | 5 | S17 and (restor\$4 re-stor\$4 (re\$3 near3 stor\$4)) near5 ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:12 |
| S22 | 16 | S17 and (extract\$4 retriev\$4) near5 ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:13 |
| S23 | 5 | S17 same ((compress\$4 zip\$3 *3zip\$4) near5 (data information record\$3 tabl\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 19:15 |
| S24 | 18507 | (backup (back\$3 near4 up) back-up archiv\$4) near5 (cycl\$4 plan\$3 schedul\$3 TIM\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/22 10:13 |
| S25 | 2816 | (compress\$4 *zip\$4) near5 (backup (back\$3 near4 up) back-up archiv\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/22 10:13 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S26 | 166 | S24 same (compress\$4 *zip\$4) near5 (backup (back\$3 near4 up) back-up archiv\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/22 10:13 |
| S27 | 93 | S26 and ((re-stor\$4) stor\$4) near6 compress\$4 *zip\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/22 10:15 |
| S28 | 5196 | (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (cycl\$4 period\$3 tim\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:26 |
| S29 | 204 | (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (cycl\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:49 |
| S30 | 5 | S29 and (compress\$4 zip\$3gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:57 |
| S31 | 5 | S29 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:50 |
| S32 | 675 | (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:30 |
| S33 | 171 | S28 and S32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:31 |
| S34 | 19 | S33 and (idl\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:48 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S35 | 1256 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:48 |
| S36 | 44092 | (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:49 |
| S37 | 657 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 15:51 |
| S38 | 2 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near6 idl\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:07 |
| S39 | 2 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near10 idl\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:11 |
| S40 | 4 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same idl\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:08 |
| S41 | 0 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (inactiv\$4 sleep\$4 hibernat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:09 |
| S42 | 1 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempil\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same (inactiv\$4 sleep\$4 hibernat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:10 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S43 | 0 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 cycl\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:10 |
| S44 | 14 | S36 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same cycl\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:11 |
| S45 | 2 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near6 idl\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:08 |
| S46 | 4 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same idl\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:08 |
| S47 | 0 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 (inactiv\$4 sleep\$4 hibernat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:09 |
| S48 | 1 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same (inactiv\$4 sleep\$4 hibernat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:10 |
| S49 | 0 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 cycl\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:10 |
| S50 | 2 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near10 idl\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:11 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S51 | 14 | S37 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) same cycl\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:12 |
| S52 | 675 | (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:29 |
| S53 | 146 | S52 and (retriev\$4 extract\$4) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:57 |
| S54 | 390 | (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) near5 schedul\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:57 |
| S55 | 18 | S54 and (compress\$4 zip\$3gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:57 |
| S56 | 18 | S54 and (compress\$4 zip\$3 gnuzip\$3 bzip\$3 b2zip Lempel\$4 LZS) near5 (backup back-up (back\$4 near4 up) archiv\$4) near5 (data record\$4 information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/19 16:58 |